

KH2RO9

8331

STATISTICS

PAPER—A

Maximum Marks-60

Time Allowed—3 Hours

(Long Answer Type Questions)

1. If $f(x) = \begin{cases} 2x, & 0 \le x \le 1 \\ \text{Zero}, & \text{otherwise} \end{cases}$, find the probability that :

- (i) $P(1/4 \le x \le 1/2)$
- (ii) P(-1/2 < x < 1/2).

Or

Define Poission distribution and give three instances where Poission distribution can be employed. Obtain Mean and Variance of the Poission distribution.

2. Explain the layout of Latin Square Design. Discuss the applications, advantages and disadvantages of Latin Square Design.

Or

What are the basic principles of Design of Experiment? Discuss them in detail. 5

3. Using Fisher's Ideal Formula, compute Price and Quantity Index numbers for 1984 with 1982 as base year for the following data :

	Commodity (A)		Commodity (B)		Commodity (C)		
Year	Price (Rs.)	Quantity (kg.)	Price (Rs.)	Quantity (kg.)	Price (Rs.)	Quantity (kg.)	
1982	5	10	8	6	6	3	
1984	4	12	7	7	5	4	
1001						, 10 m	_

P. T. O.

Or

Define the terms: Price relatives, Quantity relatives and Value relatives and show how they are related to each other?

4. Tabulate the given data for standardized death-rate by Direct and Indirect methods:

	Standard	Population	Population A		
Age in Years	Population in 000's	Sp. Death-rate	Population in 000's	Sp. Death-rate	
·(0-5)	08	50	12	48	
(5-15)	10	15	13	14	
(15-50)	27	10	15	09	
(50 to Above)	05	60	10	59	
	()r			

What is meant by Fertility of Population? Explain any three measures of Fertility.

5. Consider the given equations as the lines of regression i.e. 4x - 5y + 30 = Zero and 20x - 9y = 107, which of these is the line of regression of 'x' on 'y'? Also find r_{xy} and σ_{x} , when $\sigma_{y} = 3$.

Or

Prove (i) $r(x, y) = \sqrt{(b_{xy})(b_{yx})}$ and (ii) Compute regression coefficients from the information given N = 10, $\Sigma x = 350$, $\Sigma y = 210$, $\Sigma (x - 35)^2 = 162$, $\Sigma (y - 31)^2 = 222$ and $\Sigma (x - 35)(y - 31) = 92$.

(Short Answer Type Questions)

- 6. Given mean of Binomial Distribution equal to 2 and the variance equal to 4/3. Calculate the Probability of getting
 - (i) Exactly two successes
 - (ii) Less than two successes.

3

- 7. If the variance of Poission's Distribution is 2. Find the distribution for x = 1, 2 and 3. Given $e^{-2} = 0.1358$.
- 8. Calculate the minimum number of replications so that an observed difference of 10% of the Mean will be taken as significant at 5% level. The C.I. of plot values being 12%.

S/8331

- 9. Give the merits of weighted average of relative indices.
- 10. What do you understand by the terms specific death-rate and specific birth-rate Give the formulae of these rates for computation.
- 11. Give the use of Vital Statistics in day to day experiences.
- 12. Compute \bar{x} , \bar{y} and r(x, y) from the Regression equations, given :

$$8x - 10y + 66 = 0$$

 $40x - 18y = 214$.

(Very Short Answer Type Questions)

- 13. The following very short answer type questions of two marks, each may be answered in a few sentences or as required.
 - (a) Define a Bernoulli variate and hence define Bernoulli distribution.
 - (b) Briefly give the utility of Consumer Price indices.
 - (c) What do you understand by the term Measurement of Population?
 - (d) Given that: Regression coefficient $b_{xy} = 9/20$, Regression coefficient $b_{yx} = 4/5$ Compute correlation coefficient r(x, y).

(Objective Type Questions)

- 14. Choose the correct/most appropriate answer and write it in your Answer-book :
 - (i) For a Poission variate, "X", if P(x = 2) = 3P(x = 3), then the Mean of "X" is
 - A. 1
 - B. 1/2
 - C. 1/3
 - D. 1/4.
 - (ii) If a treatment is repeated "r" times, then the Standard Error (S.E.) of its mean effect is given by
 - $A. \quad \frac{\sigma}{\sqrt{r}}$
 - B. $\frac{\sigma^2}{\sqrt{\mathbf{r}}}$
 - C. $\frac{\sigma}{r}$
 - D. None of the above.

1